

SOURCE WATER ASSESSMENT REPORT

AN EVALUATION OF THE SUSCEPTIBILITY OF PUBLIC DRINKING WATER SOURCES TO POTENTIAL CONTAMINATION

CT0640011

Metropolitan District Commission Barkhamsted Reservoir

The State of Connecticut Department of Public Health (DPH) in cooperation with the Department of Environmental Protection (DEP) recently completed an initial assessment of the Barkhamsted Reservoir, which is a source of public drinking water that is maintained and operated by the Metropolitan District Commission. This one-time assessment is part of a nationwide effort mandated by Congress under the Safe Drinking Water Act Amendments of 1996 to evaluate the susceptibility of all public drinking water sources in Connecticut to potential sources of contamination. DPH began working in partnership with the DEP in 1997 to develop Connecticut's Source Water Assessment Program, which was approved by the U.S. Environmental Protection Agency in 1999. Sources of potential contamination that are of concern to public drinking water supplies here in Connecticut are generally associated with historic waste disposal or commercial, industrial, agricultural and residential properties that store or use hazardous materials like petroleum products, solvents or agricultural chemicals.

The assessment is intended to provide Metropolitan District Commission consumers with information about where their public drinking water comes from, sources of potential contamination that could impact it, and what can be done to help protect it. This initial assessment complete will also assist the public water supply system, regional planners, local government, public health officials and state agencies in evaluating the degree to which the Barkhamsted Reservoir may be at risk from potential sources of contamination. The assessment can be used to target and implement enhanced source water protection measures such as routine inspections, protective land use regulations, acquisition of critical land, proper septic system maintenance, and public education. General sources of contamination with the potential to impact the Barkhamsted Reservoir include properties with underground fuel storage tanks, improperly maintained on-site septic systems, improper waste disposal, or commercial/industrial sites that store or use chemicals or generate hazardous wastes.

Barkhamsted Reservoir Source Water Assessment Summary

STRENGTHS

Point source pollution discharge points not present in this watershed area

More than 40% of the watershed area is owned by the public water system

More than 60% of the land in the watershed area exists as preserved open space

Public water system has a comprehensive source protection program.

POTENTIAL RISK FACTORS

Potential contaminant sources present in the watershed

Susceptibility Rating

Rating	Environmental Sensitivity	Potential Risk Factors	Source Protection Needs
Low	X	X	X
Moderate			
High			

Overall Susceptibility Rating: Low

This rating indicates susceptibility to potential sources of contamination that may be in the source water area and does not necessarily imply poor water quality.

Detailed information about the specific factors and information used in establishing this rating can be found in Table 2. Information about opportunities to improve protection in the Barkhamsted Reservoir is also presented in Table 2.



Keeping Connecticut Healthy

State of Connecticut Department of Public Health

Drinking Water Division

410 Capitol Avenue – MS# 51WAT
P.O. Box 340308 Hartford, CT 06134

(860) 509-7333

OVERVIEW - The Barkhamsted Reservoir watershed encompasses some 34,434 acres of land in Barkhamsted, Hartland, Tolland, MA and Granville, MA. Approximately 42.7% of this watershed is owned by the Metropolitan District Commission. Public drinking water sources in this system include Barkhamsted Reservoir. State-wide satellite imagery developed by the University of Connecticut indicates that undeveloped land and residential properties presently account for approximately 97.7% percent of the land cover in the Barkhamsted Reservoir. Commercial development at 0.1% and agricultural land use at 2.0% account for the remainder of the land coverage in the source water area. Approximately 62.7% of the land in the watershed area is preserved including all watershed land owned by the Metropolitan District Commission, state forest and parklands, and municipally or privately held land designated as open space. Information about drinking water quality and treatment is available in the Metropolitan District Commission’s annual Consumer Confidence Report.

ASSESSMENT METHODS.

The drinking water source assessment methods used by the Department of Public Health Drinking Water Division to evaluate the susceptibility of public drinking water sources to contamination are based on criteria individually tailored to surface water and groundwater sources. The criteria are keyed to sanitary conditions in the source water area, the presence of potential or historic sources of contamination, existing land use coverage’s, and the need for additional source protection measures within the source water area. Source-specific data for community and non-community systems were used to determine whether a particular criterion should be rated as low, moderate or high, relative to the risk of potential contamination at the drinking water source. Further, a ranking system was used to compute an average rank for each community drinking water source based on its environmental sensitivity, potential risk of contamination and source protection needs. Watersheds and reservoirs rated as having a low, moderate or high susceptibility to potential sources of contamination generally exhibit the characteristics summarized in Table 1.

Table 1 – General Watershed Area Characteristics and Susceptibility Ratings

Susceptibility Rating	General Characteristics of the Watershed Area*
Low	Low density of potential contaminant sources Lower intensity of land development
Moderate	Low to moderate density of potential contaminant sources Moderate intensity of land development
High	Moderate to high density of potential contaminant sources Higher intensity of land development No local watershed protection regulations Detectable nitrates and/or volatile organic chemicals in the untreated source water during the past three years that are below the maximum contaminant levels allowed by state and federal drinking water regulations

** Note: Not all characteristics may be present for a given susceptibility rating*

Readers of this assessment are encouraged to use the attached glossary to assist in the understanding of the terms and concepts used throughout this report.

Maps representing the location and features of the Barkhamsted Reservoir source water area have not been included with this assessment report because of homeland security concerns.

BARKHAMSTED RESERVOIR ASSESSMENT RESULTS.

Based on a combination of current reservoir and watershed area conditions, existing potential contaminant sources, and the level of source protection measures currently in place, the source water assessment for this watershed system indicates that it has an overall Low risk of contamination from any identified potential sources of contamination. The assessment findings for the Barkhamsted Reservoir are summarized in Table 2, which lists current conditions in the source water area and recommendations or opportunities to enhance protection of this public drinking water source. A listing of potential contaminant source types in the area, if present, can be found in Table 3. A summary of source water area features is shown in Table 4.

The assessment of this and other comparable watershed areas throughout Connecticut generally finds that adopting recommendations similar to those presented in Table 2 could reduce the susceptibility of most surface water sources to potential sources of contamination.

Table 2 Source Water Assessment Findings and Source Protection Opportunities For the Barkhamsted Reservoir

Assessment Category	Conditions as of June 2002	Recommendations and Source Protection Opportunities
<p>Environmental Sensitivity Factors</p> <p>Contaminants Detected in Untreated Source Water</p>	<p>Predominant watershed topography characterized by moderate slopes</p> <p>Reservoirs have low capacity to support excessive growths of algae and plankton</p> <p>None</p> <p>Click here to review EPA's current drinking water standards</p>	<p>Monitor runoff during heavy precipitation events</p> <p>Encourage homeowners to adopt residential best management practices that minimize the use of hazardous materials or generation of hazardous waste in the watershed.</p>
<p>Potential Risk Factors</p>	<p>Potential contaminant sources present in the watershed</p> <p>More than 50% of land for this source water area is undeveloped, which could present a risk if developed inappropriately.</p> <p>Major state or interstate roadways present in the watershed</p> <p>Known contaminant release points not present in the watershed</p>	<p>Periodically inspect these sites and maintain a water quality monitoring program consistent with the level of potential risk</p> <p>Proactively work with local officials and developers to insure that only low-risk development occurs within the watershed area</p> <p>Monitor road salt and herbicide usage along these roadways and address potential for hazardous material spills resulting from vehicular accidents</p> <p>Encourage residential property owners to inspect and regularly cleanout onsite septic systems and replace underground fuel storage tanks with above ground tanks.</p>
<p>Source Protection Needs Factors</p>	<p>More than 40% of the watershed area is owned by the public water system</p> <p>Point source pollution discharge points not present in this watershed area</p>	<p>Support environmental awareness and education within the community.</p>

Inventoried significant potential contaminant sources present in the Barkhamsted Reservoir source water area are listed in Table 3. While these facilities, if present, have the potential to cause surface water contamination; there is no indication that they are doing so at this time.

Table 3 – Summary of Significant Potential Contaminant Types in the Barkhamsted Reservoir Source Water Area

Category	Subcategory	Number of SPCS Types
Waste Storage, Handling, Disposal	Hazardous Waste Facilities	0
	Solid Waste Facilities	0
	Miscellaneous	0
Bulk Chemical, Petroleum Storage	Underground Storage Tanks	2
	Tank Farms	0
	Warehouses	1
Industrial Manufacturing / Processing	Chemical & Allied Production	0
	Chemical Use Processing	0
	Miscellaneous	0
Commercial Trades and Services	Automotive and Related Services	2
	Chemical Use Services	0
	Miscellaneous	0
Miscellaneous	No Identifiable SPCS Type	0
Agricultural Operations	Animal or Livestock Waste Handling	0
	Pesticide Storage or Application	0
Total Number of Contaminant Types		5

Prominent features of the Barkhamsted Reservoir source water area are summarized in Table 4.

Table 4 - Features of the Barkhamsted Reservoir

Location of Watershed Area	Barkhamsted, Hartland, Tolland, MA and Granville, MA
Name of Reservoir(s) and Diversion(s)	Barkhamsted Reservoir
Number and Type of Public Drinking Water Reservoirs or Diversions in the Watershed	Storage
Trophic Status of Reservoir(s)	Oligotrophic
DEP Surface Water Classification	AA
Watershed Area (total acreage)	34,434 acres
Preserved Land in the Watershed ^a	21,576 acres
Predominant Watershed Topography	moderate slopes
General Land Use and Land Cover in the Watershed ^b	
-Urban - Commercial or Industrial	0.1%
-Urban - Residential	0.5%
-Agricultural	2.0%
-Undeveloped Land	97.2%
Significant Potential Contamination Sources	
-Number of inventoried facilities in source water area ^c	2
-Count of inventoried facilities per square mile	0.04 per sq mile
-Number of contaminant types within inventoried facilities	5
Number of Contaminant Release Points Inventoried by CTDEP ^d	0

^a Preserved land includes any combination of land owned by the public water supply, state forest and parklands, and municipally or privately held land designated as open space.

^b Based on statewide data layer of land use and land cover developed by UCONN Dept of Natural Resource Management Engineering and Connecticut DEP satellite imagery averaged across the entire watershed.

^c Inventoried facilities reflect the actual number of SPCS sites present in the source water area, which may have more than 1 type of contaminant present at the facility.

^d Sites or locations with documented accidental spills, leaks or discharges. While these sources, which are cataloged and tracked by the Connecticut DEP, may fall within a public drinking water supply source water area, they may or may not presently be discharging to the environment or causing contamination of a public drinking water source.

SOURCE WATER ASSESSMENT REPORT

AN EVALUATION OF THE SUSCEPTIBILITY OF PUBLIC DRINKING WATER SOURCES TO POTENTIAL CONTAMINATION

CT0640011

Metropolitan District Commission Nepaug Reservoir

The State of Connecticut Department of Public Health (DPH) in cooperation with the Department of Environmental Protection (DEP) recently completed an initial assessment of the Nepaug Reservoir, which is a source of public drinking water that is maintained and operated by the Metropolitan District Commission. This one-time assessment is part of a nationwide effort mandated by Congress under the Safe Drinking Water Act Amendments of 1996 to evaluate the susceptibility of all public drinking water sources in Connecticut to potential sources of contamination. DPH began working in partnership with the DEP in 1997 to develop Connecticut’s Source Water Assessment Program, which was approved by the U.S. Environmental Protection Agency in 1999. Sources of potential contamination that are of concern to public drinking water supplies here in Connecticut are generally associated with historic waste disposal or commercial, industrial, agricultural and residential properties that store or use hazardous materials like petroleum products, solvents or agricultural chemicals.

The assessment is intended to provide Metropolitan District Commission consumers with information about where their public drinking water comes from, sources of potential contamination that could impact it, and what can be done to help protect it. This initial assessment complete will also assist the public water supply system, regional planners, local government, public health officials and state agencies in evaluating the degree to which the Nepaug Reservoir may be at risk from potential sources of contamination. The assessment can be used to target and implement enhanced source water protection measures such as routine inspections, protective land use regulations, acquisition of critical land, proper septic system maintenance, and public education. General sources of contamination with the potential to impact the Nepaug Reservoir include properties with underground fuel storage tanks, improperly maintained on-site septic systems, improper waste disposal, or commercial/industrial sites that store or use chemicals or generate hazardous wastes.

Nepaug Reservoir Source Water Assessment Summary

STRENGTHS

- Point source pollution discharge points not present in this watershed area**
- 20 to 30 percent of watershed area is owned by public water system**
- 20% to 30% of the land in the watershed area exists as preserved open space**
- Public water system has a comprehensive source protection program.**

POTENTIAL RISK FACTORS

Potential contaminant sources present in the watershed

Susceptibility Rating

Rating	Environmental Sensitivity	Potential Risk Factors	Source Protection Needs
Low	X	X	X
Moderate			
High			

Overall Susceptibility Rating: Low

This rating indicates susceptibility to potential sources of contamination that may be in the source water area and does not necessarily imply poor water quality.

Detailed information about the specific factors and information used in establishing this rating can be found in Table 2. Information about opportunities to improve protection in the Nepaug Reservoir is also presented in Table 2.



Keeping Connecticut Healthy

State of Connecticut Department of Public Health
Drinking Water Division

410 Capitol Avenue – MS# 51WAT
P.O. Box 340308 Hartford, CT 06134
(860) 509-7333

OVERVIEW - The Nepaug Reservoir watershed encompasses some 20,416 acres of land in Burlington, Canton, Harwinton New Hartford, Torrington, and Winchester. Approximately 20.6% of this watershed is owned by the Metropolitan District Commission. Public drinking water sources in this system include Nepaug Reservoir. State-wide satellite imagery developed by the University of Connecticut indicates that undeveloped land and residential properties presently account for approximately 88.0% percent of the land cover in the Nepaug Reservoir. Commercial development at 0.8% and agricultural land use at 11.2% account for the remainder of the land coverage in the source water area. Approximately 24.6% of the land in the watershed area is preserved including all watershed land owned by the Metropolitan District Commission, state forest and parklands, and municipally or privately held land designated as open space. Information about drinking water quality and treatment is available in the Metropolitan District Commission’s annual Consumer Confidence Report.

ASSESSMENT METHODS.

The drinking water source assessment methods used by the Department of Public Health Drinking Water Division to evaluate the susceptibility of public drinking water sources to contamination are based on criteria individually tailored to surface water and groundwater sources. The criteria are keyed to sanitary conditions in the source water area, the presence of potential or historic sources of contamination, existing land use coverage’s, and the need for additional source protection measures within the source water area. Source-specific data for community and non-community systems were used to determine whether a particular criterion should be rated as low, moderate or high, relative to the risk of potential contamination at the drinking water source. Further, a ranking system was used to compute an average rank for each community drinking water source based on its environmental sensitivity, potential risk of contamination and source protection needs. Watersheds and reservoirs rated as having a low, moderate or high susceptibility to potential sources of contamination generally exhibit the characteristics summarized in Table 1.

Table 1 – General Watershed Area Characteristics and Susceptibility Ratings

Susceptibility Rating	General Characteristics of the Watershed Area*
Low	Low density of potential contaminant sources Lower intensity of land development
Moderate	Low to moderate density of potential contaminant sources Moderate intensity of land development
High	Moderate to high density of potential contaminant sources Higher intensity of land development No local watershed protection regulations Detectable nitrates and/or volatile organic chemicals in the untreated source water during the past three years that are below the maximum contaminant levels allowed by state and federal drinking water regulations

** Note: Not all characteristics may be present for a given susceptibility rating*

Readers of this assessment are encouraged to use the attached glossary to assist in the understanding of the terms and concepts used throughout this report.

Maps representing the location and features of the Nepaug Reservoir source water area have not been included with this assessment report because of homeland security concerns.

NEPAUG RESERVOIR ASSESSMENT RESULTS.

Based on a combination of current reservoir and watershed area conditions, existing potential contaminant sources, and the level of source protection measures currently in place, the source water assessment for this watershed system indicates that it has an overall Low risk of contamination from any identified potential sources of contamination. The assessment findings for the Nepaug Reservoir are summarized in Table 2, which lists current conditions in the source water area and recommendations or opportunities to enhance protection of this public drinking water source. A listing of potential contaminant source types in the area, if present, can be found in Table 3. A summary of source water area features is shown in Table 4.

The assessment of this and other comparable watershed areas throughout Connecticut generally finds that adopting recommendations similar to those presented in Table 2 could reduce the susceptibility of most surface water sources to potential sources of contamination.

Table 2 Source Water Assessment Findings and Source Protection Opportunities For the Nepaug Reservoir

Assessment Category	Conditions as of June 2002	Recommendations and Source Protection Opportunities
<p>Environmental Sensitivity Factors</p> <p>Contaminants Detected in Untreated Source Water</p>	<p>Predominant watershed topography characterized by moderate slopes</p> <p>Reservoirs have low capacity to support excessive growths of algae and plankton</p> <p>None</p> <p>Click here to review EPA’s current drinking water standards</p>	<p>Monitor runoff during heavy precipitation events</p> <p>Encourage homeowners to adopt residential best management practices that minimize the use of hazardous materials or generation of hazardous waste in the watershed.</p>
<p>Potential Risk Factors</p>	<p>Potential contaminant sources present in the watershed</p> <p>More than 50% of land for this source water area is undeveloped, which could present a risk if developed inappropriately.</p> <p>Major state or interstate roadways present in the watershed</p> <p>Known contaminant release points not present in the watershed</p>	<p>Periodically inspect these sites and maintain a water quality monitoring program consistent with the level of potential risk</p> <p>Proactively work with local officials and developers to insure that only low-risk development occurs within the watershed area</p> <p>Monitor road salt and herbicide usage along these roadways and address potential for hazardous material spills resulting from vehicular accidents</p> <p>Encourage residential property owners to inspect and regularly cleanout onsite septic systems and replace underground fuel storage tanks with above ground tanks.</p>
<p>Source Protection Needs Factors</p>	<p>20 to 30 percent of watershed area is owned by public water system</p> <p>Point source pollution discharge points not present in this watershed area</p>	<p>Support and encourage the acquisition of open space land within the watershed area</p> <p>Support environmental awareness and education within the community.</p>

Inventoried significant potential contaminant sources present in the Nepaug Reservoir source water area are listed in Table 3. While these facilities, if present, have the potential to cause surface water contamination; there is no indication that they are doing so at this time.

Table 3 – Summary of Significant Potential Contaminant Types in the Nepaug Reservoir Source Water Area

Category	Subcategory	Number of SPCS Types
Waste Storage, Handling, Disposal	Hazardous Waste Facilities	1
	Solid Waste Facilities	0
	Miscellaneous	0
Bulk Chemical, Petroleum Storage	Underground Storage Tanks	2
	Tank Farms	0
	Warehouses	1
Industrial Manufacturing / Processing	Chemical & Allied Production	0
	Chemical Use Processing	0
	Miscellaneous	0
Commercial Trades and Services	Automotive and Related Services	1
	Chemical Use Services	0
	Miscellaneous	0
Miscellaneous	No Identifiable SPCS Type	0
Agricultural Operations	Animal or Livestock Waste Handling	4
	Pesticide Storage or Application	1
Total Number of Contaminant Types		10

Prominent features of the Nepaug Reservoir source water area are summarized in Table 4.

Table 4 - Features of the Nepaug Reservoir

Location of Watershed Area	Burlington, Canton, Harwinton New Hartford, Torrington, and Winchester
Name of Reservoir(s) and Diversion(s)	Nepaug Reservoir
Number and Type of Public Drinking Water Reservoirs or Diversions in the Watershed	Storage
Trophic Status of Reservoir(s)	Oligotrophic
DEP Surface Water Classification	AA
Watershed Area (total acreage)	20,416 acres
Preserved Land in the Watershed ^a	5,022 acres
Predominant Watershed Topography	moderate slopes
General Land Use and Land Cover in the Watershed ^b	
-Urban - Commercial or Industrial	0.8%
-Urban - Residential	2.4%
-Agricultural	11.2%
-Undeveloped Land	85.6%
Significant Potential Contamination Sources	
-Number of inventoried facilities in source water area ^c	10
-Count of inventoried facilities per square mile	0.31 per sq mile
-Number of contaminant types within inventoried facilities	10
Number of Contaminant Release Points Inventoried by CTDEP ^d	0

^a Preserved land includes any combination of land owned by the public water supply, state forest and parklands, and municipally or privately held land designated as open space.

^b Based on statewide data layer of land use and land cover developed by UCONN Dept of Natural Resource Management Engineering and Connecticut DEP satellite imagery averaged across the entire watershed.

^c Inventoried facilities reflect the actual number of SPCS sites present in the source water area, which may have more than 1 type of contaminant present at the facility.

^d Sites or locations with documented accidental spills, leaks or discharges. While these sources, which are cataloged and tracked by the Connecticut DEP, may fall within a public drinking water supply source water area, they may or may not presently be discharging to the environment or causing contamination of a public drinking water source.

SOURCE WATER ASSESSMENT REPORT

AN EVALUATION OF THE SUSCEPTIBILITY OF PUBLIC DRINKING WATER SOURCES TO POTENTIAL CONTAMINATION

CT0640011

Metropolitan District Commission West Hartford Reservoir System

The State of Connecticut Department of Public Health (DPH) in cooperation with the Department of Environmental Protection (DEP) recently completed an initial assessment of the West Hartford Reservoir System, which is a source of public drinking water that is maintained and operated by the Metropolitan District Commission. This one-time assessment is part of a nationwide effort mandated by Congress under the Safe Drinking Water Act Amendments of 1996 to evaluate the susceptibility of all public drinking water sources in Connecticut to potential sources of contamination. DPH began working in partnership with the DEP in 1997 to develop Connecticut’s Source Water Assessment Program, which was approved by the U.S. Environmental Protection Agency in 1999. Sources of potential contamination that are of concern to public drinking water supplies here in Connecticut are generally associated with historic waste disposal or commercial, industrial, agricultural and residential properties that store or use hazardous materials like petroleum products, solvents or agricultural chemicals.

The assessment is intended to provide Metropolitan District Commission consumers with information about where their public drinking water comes from, sources of potential contamination that could impact it, and what can be done to help protect it. This initial assessment complete will also assist the public water supply system, regional planners, local government, public health officials and state agencies in evaluating the degree to which the West Hartford Reservoir System may be at risk from potential sources of contamination. The assessment can be used to target and implement enhanced source water protection measures such as routine inspections, protective land use regulations, acquisition of critical land, proper septic system maintenance, and public education. General sources of contamination with the potential to impact the West Hartford Reservoir System include properties with underground fuel storage tanks, improperly maintained on-site septic systems, improper waste disposal, or commercial/industrial sites that store or use chemicals or generate hazardous wastes.

West Hartford Reservoir System Source Water Assessment Summary

<p><u>STRENGTHS</u></p> <ul style="list-style-type: none"> Point source pollution discharge points not present in this watershed area More than 80% of the watershed area is owned by the public water system More than 90% of the land in the watershed area exists as preserved open space Public water system has a comprehensive source protection program. <p><u>POTENTIAL RISK FACTORS</u></p> <ul style="list-style-type: none"> Potential contaminant sources present in the watershed 	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3" style="text-align: center;">Susceptibility Rating</th> </tr> <tr> <th style="border: none;"></th> <th style="border: none;">Environmental Sensitivity</th> <th style="border: none;">Potential Risk Factors</th> <th style="border: none;">Source Protection Needs</th> </tr> </thead> <tbody> <tr> <td style="border: none;">Rating</td> <td style="border: none;"></td> <td style="border: none;"></td> <td style="border: none;"></td> </tr> <tr> <td style="border: none;">Low</td> <td style="border: none; text-align: center;">X</td> <td style="border: none; text-align: center;">X</td> <td style="border: none; text-align: center;">X</td> </tr> <tr> <td style="border: none;">Moderate</td> <td style="border: none;"></td> <td style="border: none;"></td> <td style="border: none;"></td> </tr> <tr> <td style="border: none;">High</td> <td style="border: none;"></td> <td style="border: none;"></td> <td style="border: none;"></td> </tr> </tbody> </table> <p style="text-align: center;">Overall Susceptibility Rating: Low</p> <p>This rating indicates susceptibility to potential sources of contamination that may be in the source water area and does not necessarily imply poor water quality.</p> <p>Detailed information about the specific factors and information used in establishing this rating can be found in Table 2. Information about opportunities to improve protection in the West Hartford Reservoir System is also presented in Table 2.</p>	Susceptibility Rating				Environmental Sensitivity	Potential Risk Factors	Source Protection Needs	Rating				Low	X	X	X	Moderate				High			
Susceptibility Rating																								
	Environmental Sensitivity	Potential Risk Factors	Source Protection Needs																					
Rating																								
Low	X	X	X																					
Moderate																								
High																								



Keeping Connecticut Healthy

State of Connecticut Department of Public Health
Drinking Water Division

410 Capitol Avenue – MS# 51WAT
P.O. Box 340308 Hartford, CT 06134
(860) 509-7333

OVERVIEW - The West Hartford Reservoir System watershed encompasses some 2,560 acres of land in Avon, Bloomfield, Farmington, Simsbury, and West Hartford. Approximately 82.8% of this watershed is owned by the Metropolitan District Commission. Public drinking water sources in this system include West Hartford reservoirs #2, #3, #5 and Bloomfield Reservoir #6. State-wide satellite imagery developed by the University of Connecticut indicates that undeveloped land and residential properties presently account for approximately 98.2% percent of the land cover in the West Hartford Reservoir System. Commercial development at 0.1% and agricultural land use at 1.7% account for the remainder of the land coverage in the source water area. Approximately 91.5% of the land in the watershed area is preserved including all watershed land owned by the Metropolitan District Commission, state forest and parklands, and municipally or privately held land designated as open space. Information about drinking water quality and treatment is available in the Metropolitan District Commission’s annual Consumer Confidence Report.

ASSESSMENT METHODS.

The drinking water source assessment methods used by the Department of Public Health Drinking Water Division to evaluate the susceptibility of public drinking water sources to contamination are based on criteria individually tailored to surface water and groundwater sources. The criteria are keyed to sanitary conditions in the source water area, the presence of potential or historic sources of contamination, existing land use coverage’s, and the need for additional source protection measures within the source water area. Source-specific data for community and non-community systems were used to determine whether a particular criterion should be rated as low, moderate or high, relative to the risk of potential contamination at the drinking water source. Further, a ranking system was used to compute an average rank for each community drinking water source based on its environmental sensitivity, potential risk of contamination and source protection needs. Watersheds and reservoirs rated as having a low, moderate or high susceptibility to potential sources of contamination generally exhibit the characteristics summarized in Table 1.

Table 1 – General Watershed Area Characteristics and Susceptibility Ratings

Susceptibility Rating	General Characteristics of the Watershed Area*
Low	Low density of potential contaminant sources Lower intensity of land development
Moderate	Low to moderate density of potential contaminant sources Moderate intensity of land development
High	Moderate to high density of potential contaminant sources Higher intensity of land development No local watershed protection regulations Detectable nitrates and/or volatile organic chemicals in the untreated source water during the past three years that are below the maximum contaminant levels allowed by state and federal drinking water regulations

** Note: Not all characteristics may be present for a given susceptibility rating*

Readers of this assessment are encouraged to use the attached glossary to assist in the understanding of the terms and concepts used throughout this report.

Maps representing the location and features of the West Hartford Reservoir System source water area have not been included with this assessment report because of homeland security concerns.

WEST HARTFORD RESERVOIR SYSTEM ASSESSMENT RESULTS.

Based on a combination of current reservoir and watershed area conditions, existing potential contaminant sources, and the level of source protection measures currently in place, the source water assessment for this watershed system indicates that it has an overall Low risk of contamination from any identified potential sources of contamination. The assessment findings for the West Hartford Reservoir System are summarized in Table 2, which lists current conditions in the source water area and recommendations or opportunities to enhance protection of this public drinking water source. A listing of potential contaminant source types in the area, if present, can be found in Table 3. A summary of source water area features is shown in Table 4.

The assessment of this and other comparable watershed areas throughout Connecticut generally finds that adopting recommendations similar to those presented in Table 2 could reduce the susceptibility of most surface water sources to potential sources of contamination.

Table 2 Source Water Assessment Findings and Source Protection Opportunities For the West Hartford Reservoir System

Assessment Category	Conditions as of June 2002	Recommendations and Source Protection Opportunities
Environmental Sensitivity Factors Contaminants Detected in Untreated Source Water	Predominant watershed topography characterized by moderate slopes Reservoirs have low to moderate capacity to support excessive growths of algae and plankton None Click here to review EPA's current drinking water standards	Monitor runoff during heavy precipitation events Monitor reservoir nutrient levels for source waters classified as eutrophic or mesotrophic. Encourage homeowners to adopt residential best management practices that minimize the use of hazardous materials or generation of hazardous waste in the watershed.
Potential Risk Factors	Potential contaminant sources present in the watershed Major state or interstate roadways present in the watershed Known contaminant release points present in the watershed	Periodically inspect these sites and maintain a water quality monitoring program consistent with the level of potential risk Monitor road salt and herbicide usage along these roadways and address potential for hazardous material spills resulting from vehicular accidents Maintain an adequate level of surveillance around contaminant release point sites to insure that surface water contamination is not occurring Encourage residential property owners to inspect and regularly cleanout onsite septic systems and replace underground fuel storage tanks with above ground tanks.
Source Protection Needs Factors	More than 80% of the watershed area is owned by the public water system Point source pollution discharge points not present in this watershed area	 Support environmental awareness and education within the community.

Inventoried significant potential contaminant sources present in the West Hartford Reservoir System source water area are listed in Table 3. While these facilities, if present, have the potential to cause surface water contamination; there is no indication that they are doing so at this time.

Table 3 – Summary of Significant Potential Contaminant Types in the West Hartford Reservoir System Source Water Area

Category	Subcategory	Number of SPCS Types
Waste Storage, Handling, Disposal	Hazardous Waste Facilities	0
	Solid Waste Facilities	1
	Miscellaneous	0
Bulk Chemical, Petroleum Storage	Underground Storage Tanks	0
	Tank Farms	0
	Warehouses	0
Industrial Manufacturing / Processing	Chemical & Allied Production	0
	Chemical Use Processing	0
	Miscellaneous	0
Commercial Trades and Services	Automotive and Related Services	0
	Chemical Use Services	0
	Miscellaneous	0
Miscellaneous	No Identifiable SPCS Type	0
Agricultural Operations	Animal or Livestock Waste Handling	0
	Pesticide Storage or Application	0
Total Number of Contaminant Types		1

Prominent features of the West Hartford Reservoir System source water area are summarized in Table 4.

Table 4 - Features of the West Hartford Reservoir System

Location of Watershed Area	Avon, Bloomfield, Farmington, Simsbury, and West Hartford
Name of Reservoir(s) and Diversion(s)	West Hartford reservoirs #2, #3, #5 and Bloomfield Reservoir #6
Number and Type of Public Drinking Water Reservoirs or Diversions in the Watershed	2 Distribution and 2 Storage
Trophic Status of Reservoir(s)	1 Mesotrophic and 3 Oligotrophic
DEP Surface Water Classification	B/AA
Watershed Area (total acreage)	2,560 acres
Preserved Land in the Watershed ^a	2,343 acres
Predominant Watershed Topography	moderate slopes
General Land Use and Land Cover in the Watershed ^b	
-Urban - Commercial or Industrial	0.1%
-Urban - Residential	0.6%
-Agricultural	1.7%
-Undeveloped Land	97.5%
Significant Potential Contamination Sources	
-Number of inventoried facilities in source water area ^c	1
-Count of inventoried facilities per square mile	0.25 per sq mile
-Number of contaminant types within inventoried facilities	1
Number of Contaminant Release Points Inventoried by CTDEP ^d	1

^a Preserved land includes any combination of land owned by the public water supply, state forest and parklands, and municipally or privately held land designated as open space.

^b Based on statewide data layer of land use and land cover developed by UCONN Dept of Natural Resource Management Engineering and Connecticut DEP satellite imagery averaged across the entire watershed.

^c Inventoried facilities reflect the actual number of SPCS sites present in the source water area, which may have more than 1 type of contaminant present at the facility.

^d Sites or locations with documented accidental spills, leaks or discharges. While these sources, which are cataloged and tracked by the Connecticut DEP, may fall within a public drinking water supply source water area, they may or may not presently be discharging to the environment or causing contamination of a public drinking water source.